

July 15, 2019

SK  
3707 Parkmoor Village Dr, Suite 104  
Colorado Springs, CO 80917

Anresco No. 720190101

## Sample information

Product Mitragyna Speciosa  
Lot no. YVT-010719 Collected 7/1/19 2pm

Sampling Received from Client.  
Received July 08, 2019

## Analytical Results

Methods FDA BAM - SPC, Coliforms/E. coli  
MPN - PDB - Yeast/Mold  
AOAC 996.08 - E. coli 0157:H7  
AOAC 2013.01 - Salmonella  
AOAC 2013.10 - Listeria  
AOAC 2003.07 - Staph

Analysis Date July 08, 2019 to July 15, 2019

### Analyses

### Results

Standard Plate Count cfu/g	9,000
Coliforms cfu/g	30
E. coli cfu/g	<10
Yeast MPN/g	9.2
Mold MPN/g	21
Salmonella/25g	Negative
Listeria/25g	Negative
CP Staph cfu/g	<10

Reported by  
**Anresco, Inc.**

  
Laila Lam  
Microbiologist



  
Cynthia Kushi  
Senior Chemist



July 15, 2019

Anresco No. 720190100

SK  
3707 Parkmoor Village Dr, Suite 104  
Colorado Springs, CO 80917

### Sample information

**Product** Mitragyna Speciosa  
Lot No. WHK-010719 Collected 7/1/19 2pm

**Sampling Received** Received from Client.  
July 08, 2019

### Analytical Results

**Methods** FDA BAM - SPC, Coliforms/E. coli  
MPN - PDB - Yeast/Mold  
AOAC 996.08 - E. coli 0157:H7  
AOAC 2013.01 - Salmonella  
AOAC 2013.10 - Listeria  
AOAC 2003.07 - Staph

**Analysis Date** July 08, 2019 to July 15, 2019

#### Analyses

#### Results

Standard Plate Count cfu/g	9,000
Coliforms cfu/g	130
E. coli cfu/g	<10
Yeast MPN/g	2,400
Mold MPN/g	1,500
Salmonella/25g	Negative
Listeria/25g	Negative
CP Staph cfu/g	<10

Reported by  
**Anresco, Inc.**

*Laila Lam*  
Laila Lam  
Microbiologist



*Cynthia Kushi*  
Cynthia Kushi  
Senior Chemist



June 28, 2019

SK  
3707 Parkmoor Village Dr, Suite 104  
Colorado Springs, CO 80917

Anresco No. 620190298

### Sample information

**Product** Mitragyna Speciosa  
Lot No. SGN052819, Date Collected: 6/12/19 10 am

**Sampling Received** Received from Client.  
June 14, 2019

### Analytical Results

**Methods** FDA BAM - SPC, Coliforms/E. coli  
AOAC 2013.01 - Salmonella  
AOAC 2013.10 - Listeria  
AOAC 2003.07 - Staph

**Analysis Date** June 14, 2019 to June 28, 2019

#### Analyses


#### Results

Standard Plate Count cfu/g	35,000
Coliforms cfu/g	<10
E. coli	<10
Yeast cfu/g	11,000
Mold cfu/g	460
Salmonella/25g	Negative
Listeria/25g	Negative
CP Staph cfu/g	<10

Reported by  
**Anresco, Inc.**

  
Laila Lam  
Microbiologist



  
Cynthia Kushi  
Senior Chemist



July 9, 2019

Anresco No. 720190005

SK  
3707 Parkmoor Village Dr, Suite 104  
Colorado Springs, CO 80917

### Sample information

Product Mitragyna Speciosa,  
SK-GRN-061819, 6/28/19 10:35am

Sampling Received from Client.  
Received July 01, 2019

### Analytical Results

Methods FDA BAM - SPC, Coliforms/E. coli  
MPN - PDB - Yeast/Mold  
AOAC 2013.01 - Salmonella  
AOAC 2013.10 - Listeria  
AOAC 2003.07 - Staph

Analysis Date July 01, 2019 to July 9, 2019

#### Analyses

#### Results

Standard Plate Count cfu/g	81,000
Coliforms cfu/g	<10
E. coli cfu/g	<10
Yeast MPN/g	<3
Mold MPN/g	<3
Salmonella/25g	Negative
Listeria/25g	Negative
CP Staph cfu/g	<10

Reported by  
**Anresco, Inc.**

*Laila Lam*  
Laila Lam  
Microbiologist



*Raquel Mendoza*  
Raquel Mendoza  
Assistant Microbiologist



If there are any questions with this report, please contact "iso@anresco.com".

070919\_1

page 1 of 1

Anresco Laboratories (www.anresco.com)  
1375 Van Dyke Ave., San Francisco, CA 94124

Tel: 415 822 1100  
Fax: 415 822 6615

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.